

2820

**RESPONSE TO LETTER RE: APPLICATIONS FOR
PERMIT TO OPERATE**

01/30/92

**OEPA/DOE-FO
1
LETTER**



State of Ohio Environmental Protection Agency

P.O. Box 1049, 1800 WaterMark Dr.
Columbus, Ohio 43266-0149
(614) 644-3020
FAX (614) 644-2329

AK
Original File Copy

2820

George V. Voinovich
Governor

January 30, 1992

Mr. R.E. Tiller, Manager
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705

Dear Mr. Tiller:

This letter is in response to your letters to Mr. Harry Schwietering of the Southwest Ohio Air Pollution Control Agency, dated November 8, 1991 and December 17, 1991 (DOE-276-92 and DOE-532-92). Those letters accompanied permit to operate (PTO) applications for analytical laboratory hoods and vents. In your letters you stated that applications for permit's to install (PTI) were not prepared citing the exemption provisions of OAC 3745-31-03(A)(1)(f).

The purpose of this letter is to inform you that these provisions were never intended to apply to sources subject to 40 CFR, Part 61, and to request that you prepare and submit PTI applications for these sources. This request is being made under the authority provided in OAC 3745-31-02(C).

If you have any questions in this matter you may refer them to Mr. Tom Tucker of my staff at (614) 644-2280.

Sincerely yours,

Robert Hodanbosi, P.E., Manager
Air Quality Modeling & Planning
Division of Air Pollution Control

RH/JTT/mml

cc: Harry Schwietering, SWOAPCA
Tom Tucker

(shroff)
action
response
to 4-0300
(3638)

Date Rec'd FEB 04 1992
Log F-11658
File 5472.5a
Library _____



Printed on recycled paper